

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL:

SHELL: ZINC ALLOY, NICKEL PLATED.
INSERT: THERMOPLASTIC, UL94 V-0.
COULPING NUT: AL ALLOY, NICKEL PLATED.

WAVE WASHER: STAINLESS STEEL.
O-RING: NBR/SILICONE RUBBER.

2. SPECIFICATIONS:

2.1 RATED CURRENT: 3A (MAX). 2.2 RATED VOLTAGE: 500V (AC/DC).

2.3 OPERATING TEMPERATURE: SEE CHART.

2.4 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE@2000 VOLTS AC.

2.5 INSULATION RESISTANCE: 5000 MEGOHMS MIN.

2.6 IP--CLASS: IP67(MATED CONNECTOR).


2.7 MATING CYCLES DURABILITY: 500 CYCLES MIN.

2.8 ROHS COMPLIANT.

3. SUITABLE CONTACTS: 16# CONTACTS.

4. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

REVISIONS									
REV	ECO	DESCRIPTION	DATE	BY	APPR				
B1	-	RELEASED DRAWING	JUN-13-2014	BEN	TOMMY				
B2	•	CHANGE DIMENSION	MAR-20-2020	FLAN	TOMMY				
В3	-	UPDATE RATED CURRENT	MAY-3-2023	JUN	TOMMY				



WEW BOO	PART NUMBER						
KEY POS	-40°C ~ 105°C	-40°C ~ 125°C					
N	RT062448PNH	RT062448PNH03					
W	RT062448PWH	RT062448PWH03					
Х	RT062448PXH	RT062448PXH03					
Y	RT062448PYH	RT062448PYH03					
Z	RT062448PZH	RT062448PZH03					

	UMBER C	HART							
QUANTITY PART NUMBER			DESCRIPTION			ITEM			
MATERIALS LIST									
UNLESS OTHERWISE SPECIFIED SIGNATUR		ATURES	DATE		Λ	mnhc	nol		
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/84 2 PL DEC ±0.15 Angles ±1*		DRAWN:	JUN	MAY-3-2023	<u> Amphenol</u>				
		CHECKED:	JOE	MAY-5-2023					
3) Note reference = X		ENGINEER:	R:		44724 Morley Drive Clinton Township, MI 48036				
MATERIAL SPECIFICATIONS:		APPROVAL:	TOMMY	MAY-8-2023					
MATERIAL SPECIFICATIONS.		CUSTOMER:			ECO-MATE,PLUG, SIZE 24,				
		THIS DRAWING IS SUPPLIED FOR		48POS, PIN.					
PROCESS SPECIFICATIONS:		INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		В	C-	RT06244	8P*H*	B3	
NEXT ASS'Y:			IUFACTURING VARIATIONS.		SCALE: N	ONE		SHEET 1	of 1

ECO-MA1

VIE DI LIG SIZE 24 48DOS DIN

DWG NO

RT062448P*H*

REV: B3

H.